

# Torpedo Extra Strength

## Safety Data Sheet

### SECTION 1: Product and company identification

Product name : Torpedo Extra Strength  
Use of the substance/mixture : Drain maintainer  
Product code : CC110  
Company : Competitive Choice Inc.  
PO Box 35743  
Houston, TX 77235-5743 - USA  
T (713) 838-1144  
Emergency number : Chemtrec: 800-255-3924

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Acute Tox. 3 (Oral) H301  
Acute Tox. 4 (Dermal) H312  
Skin Corr. 1A H314

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

GHS06

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Toxic if swallowed  
Harmful in contact with skin  
Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : Do not breathe mist, vapors.  
Wash thoroughly after handling  
Do not eat, drink or smoke when using this product.  
Wear eye protection, protective gloves, protective clothing.  
If swallowed: Immediately call a doctor, a POISON CENTER  
If swallowed: rinse mouth. Do NOT induce vomiting  
If on skin: Wash with plenty of water  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
If inhaled: Remove person to fresh air and keep comfortable for breathing  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER, a doctor  
Call a doctor, a POISON CENTER if you feel unwell  
Specific treatment (see First aid measures on this label)  
Specific treatment (see supplemental first aid instruction on this label)  
Rinse mouth.  
Take off contaminated clothing and wash it before reuse.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixtures

# Torpedo Extra Strength

## Safety Data Sheet

| Name                | Product identifier  | %     | GHS-US classification  |
|---------------------|---------------------|-------|--|
| sodium hydroxide    | (CAS-No.) 1310-73-2 | 40-70 | Acute Tox. 4 (Dermal), H312<br>Skin Corr. 1A, H314                     |
| potassium hydroxide | (CAS-No.) 1310-58-3 | 3-13  | Met. Corr. 1, H290<br>Acute Tox. 3 (Oral), H301<br>Skin Corr. 1A, H314 |

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. Take victim to a doctor if irritation persists.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage.
- Symptoms/effects after inhalation : Corrosive to the respiratory tract.
- Symptoms/effects after skin contact : Harmful in contact with skin. Caustic burns/corrosion of the skin.
- Symptoms/effects after eye contact : Causes serious eye damage. Permanent eye damage.
- Symptoms/effects after ingestion : Toxic if swallowed. Burns to the gastric/intestinal mucosa.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : ABC powder.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Reacts violently with water. Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective goggles. Face-shield.
- Emergency procedures : Keep upwind.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, pump into suitable containers.
- Methods for cleaning up : Absorb spillage to prevent material-damage. Small quantities of liquid spill: neutralize with acid solution. This material and its container must be disposed of in a safe way, and as per local legislation.

# Torpedo Extra Strength

## Safety Data Sheet

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in original container. Store in a dry place. Store in a closed container. Keep cool.

Incompatible products : Strong acids.

Incompatible materials : Metals.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### sodium hydroxide (1310-73-2)

|       |                                     |                      |
|-------|-------------------------------------|----------------------|
| ACGIH | ACGIH Ceiling (mg/m <sup>3</sup> )  | 2 mg/m <sup>3</sup>  |
| ACGIH | Remark (ACGIH)                      | URT, eye, & skin irr |
| OSHA  | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 2 mg/m <sup>3</sup>  |

#### potassium hydroxide (1310-58-3)

Not applicable

### 8.2. Exposure controls

Personal protective equipment : Face shield. Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear to hazy liquid.

Odor : Mild odor

Odor threshold : No data available

pH : 14

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available

Explosion limits : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Vapor pressure : No data available

Relative density : No data available

Relative vapor density at 20 °C : No data available

Specific gravity / density : 1.51 g/ml

# Torpedo Extra Strength

## Safety Data Sheet

|                           |                     |
|---------------------------|---------------------|
| Solubility                | : Soluble in water. |
| Log Pow                   | : No data available |
| Log Kow                   | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity                 | : No data available |
| Viscosity, kinematic      | : No data available |
| Viscosity, dynamic        | : No data available |
| VOC content               | : 0 %               |

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts violently with water. Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

Reacts violently with water.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

May be corrosive to metals. Strong acids. metals.

#### 10.6. Hazardous decomposition products

May release flammable gases.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Harmful in contact with skin.

##### Drain Away

LD50 oral rat 214 mg/kg Potassium Hydroxide

LD50 dermal rabbit 1350 mg/kg Sodium Hydroxide

##### sodium hydroxide (1310-73-2)

LD50 oral rat 4090 mg/kg

LD50 dermal rabbit 1350 mg/kg

ATE CLP (oral) 4090 mg/kg body weight

ATE CLP (dermal) 1350 mg/kg body weight

##### potassium hydroxide (1310-58-3)

LD50 oral rat 214 mg/kg

ATE CLP (oral) 500 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.  
pH: 14

Serious eye damage/irritation : Not classified  
pH: 14

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : Corrosive to the respiratory tract.

Symptoms/effects after skin contact : Harmful in contact with skin. Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Permanent eye damage.

Symptoms/effects after ingestion : Toxic if swallowed. Burns to the gastric/intestinal mucosa.

# Torpedo Extra Strength

## Safety Data Sheet

Likely routes of exposure : Skin and eye contact

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

Transport document description : UN3266 Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, potassium hydroxide), 8, II  
UN-No.(DOT) : UN3266  
Proper Shipping Name (DOT) : Corrosive liquid, basic, inorganic, n.o.s.  
Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202  
DOT Packaging Bulk (49 CFR 173.xxx) : 242  
DOT Symbols : G - Identifies PSN requiring a technical name  
DOT Special Provisions (49 CFR 172.102) : B2,IB2,T11,TP2,TP27  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L  
DOT Vessel Stowage Location : B  
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids

#### Additional information

Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

# Torpedo Extra Strength

## Safety Data Sheet

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

|   |         |
|---|---------|
| <b>sodium hydroxide (1310-73-2)</b>   |         |
| Not subject to reporting requirements of the United States SARA Section 313 |         |
| CERCLA RQ   | 1000 lb |
| <b>potassium hydroxide (1310-58-3)</b>                                      |         |
| Not subject to reporting requirements of the United States SARA Section 313 |         |
| CERCLA RQ   | 1000 lb |

**⚠ WARNING**

This product can expose you to cadmium (non-pyrophoric), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


### SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

|      |   |
|------|---|
| H290 | May be corrosive to metals              |
| H301 | Toxic if swallowed                      |
| H312 | Harmful in contact with skin            |
| H314 | Causes severe skin burns and eye damage |

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.  
 NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.  
 NFPA reactivity : 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*